#### SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product:EG-1, EG-1A (Hardener)Trade Name:Epoxy Gel (Hardener)Manufacturer:AGS CompanyCommon Name:Mercapt in Amine Blend

Street Address: 2651 Hoyt St

City/ State/ Zip Muskegon Hts., MI 49444

**Phone:** 800-253-0403 **Phone:** 231-733-2101

FAX: 231-733-1784 Original Issue Date: 1/16/2007 Transportation Emergency: CHEM-TEL Revision No 3 Date 12/10/2012

Phone: 800-255-3924

# SECTION 2 - COMPOSITION/ INFORMATION ON INGREDIENTS

ITEM CAS NUMBER WT/WT %
1 Mercapt in Amine Blend 100.0

EXPOSURE LIMITS

 ITEM
 TLV
 STEL
 PEL

 1
 N/A
 ppm
 N/A
 ppm

## **SECTION 3 - HAZARDS IDENTIFICATION**

EYE CONTACT: May cause severe irritation or burns.

SKIN CONTACT: May cause severe irritation or burns.

INHALATION: May cause iritation to upper respiratory tract.

INGESTION: Can cause gastrointestinal irritation, nasea, vomiting, or diarrhea. Harmful to mouth and throat if

swallowed.

CHRONIC HAZARDS: NA

Primary Route(s) of Entry Inhalation, skin and eye contact or ingestion.

# **SECTION 4 - FIRST AID MEASURES**

EYE CONTACT: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

SKIN CONTACT: Immediately flush with plenty of water. Remove clothing. Get medical attention immediately. Wash clothing separately before reuse.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

INGESTION: Get medical attention immediately. If swallowed, DO NOT induce vomiting. Give victim a glass of water or milk. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

SECTION 5 - FIRE FIGHTING MEASURES

FLASH POINT: >200 degrees F LOWER EXPLOSIVE LIMIT: NA % UPPER EXPLOSIVE LIMIT: NA %

AUTOGNITION TEMPERATURE: NA

EXTINGUISHING MEDIA: Carbon Dioxide, Dry Chemical Foam, Water Foq

UNUSUAL FIRE AND EXPLOSION HAZARDS: Move containers from area if it can be done without risk. Cool fire-exposed containers with water from the side. Wear NIOSH/MSHA approved; pressure demand self-contained breathing apparatus. Avoid water contamination in closed containers or confined areas as carbon dioxide is evolved.

SPECIAL FIREFIGHTING PROCEDURES: Wear NIOSH/MSHA approved self-contained breathing apparatus and protective gear. Water spray may be utilized to cool containers.

#### SECTION 6 - ACCIDENTAL RELEASE MEASURES

RECOVERY PROCEDURES: Absorb spill with inert material then place in a chemical waste container.

### **SECTION 7 - HANDLING AND STORAGE**

HANDLING: Wash thoroughly after handling

STORAGE: Keep away from heat, sparks, and flame.

#### SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Use in well ventilated area. Local exhaust sould be utilized to remove fumes.

RESPIRATORY PROTECTION: For most conditions, no respiratory protection should be needed, however, if high vapor concentration should develop, use a NIOSH approved organic vapor respirator.

SKIN PROTECTION: Where contact is likely, wear chemical resistant gloves.

EYE PROTECTION: Wear safety glasses with side shields or goggles.

OTHER PROTECTIVE EQUIPMENT: Eye wash in work area.

HYGIENIC PRACTICES: Wash hands before eating. Remove contaminated clothing and wash before reuse. Use only in a well ventilated area. Follow all MSDS/label precautions even after container is emptied because they may retain product residues. Avoid prolonged or repeated contact with eyes, skin, and clothing.

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

BOILING RANGENDVAPOR DENSITY:NDODORSulfurODOR THRESHOLDNAAPPEARANCEColorlessEVAPORATION RATEND

SOLUBILITY IN H<sub>2</sub>O Negligible

FREEZE POINT NA SPECIFIC GRAVITY 1.12

VAPOR PRESSURE ND pH @ 0.0% NA

PHYSICAL STATE Liquid

COEFFICIENT OF WATER / OIL DISTRIBUTION: NA

(See Section 16 for abbreviation legend)

SECTION 10 - STABILITY AND REACTIVITY

CONDITIONS TO AVOID: Sources of ignition.

INCOMPATIBILITY: Oxidizers, strong acids, hypochlorite salts

HAZARDOUS DECOMPOSITION PRODUCTS Carbon dioxide, Carbon monoxide, and Oxides of Nitrogen.

HAZARDOUS POLYMERIZATION: Will not occur under normal conditions

STABILITY: This product is stable under normal storage conditions.

**SECTION 11 - TOXICOLOGICAL PROPERTIES** 

PRODUCT LD-50 NA mg/kg PRODUCT LC-50 NA ppm

COMPONENT TOXICOLOGICAL INFORMATION:

CHEMICAL NAME LD50 LC50

**SECTION 12 - ECOLOGICAL INFORMATION** 

ECOLOGICAL INFORMATION: No information

SECTION 13 - DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with federal, state and local regulations.

**SECTION 14 - TRANSPORTATION INFORMATION** 

DOT PROPER SHIPPING NAME Amines, Liquid, Corrosive, N.O.S. (aliphatic amines)

DOT TECHNICAL NAME

DOT HAZARD CLASS 8 HAZARD SUBCLASS:

UN / NA NUMBER: UN2735 PACKING GROUP: III RESP. GUIDE PAGE

SECTION 15 - REGULATORY INFORMATION

U.S FEDERAL REGULATIONS: AS FOLLOWS -

OSHA: Hazardous by definition of Hazard Communication Standard (29 cfr 1910.1200)

CERCLA - SARA HAZARD CATEGORY:

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III ) and is considered, under applicable definitions, to meet the following categories:

#### **SARA SECTION 313**

This product contains the following substance subject to the reporting requirements of Section 313 of Title of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

CHEMICAL NAME CAS NUMBER WT /WT % IS LESS THAN

TOXIC SUBSTANCE CONTROL ACT:

This product contains the following chemical substances subject to the reporting requirements of TSCA 12 (B) if exported from the United States:

CHEMICAL NAME CAS NUMBER

U.S. STATE REGULATIONS: AS FOLLOWS -

NEW JERSEY RIGHT-TO-KNOW:

The following materials are non-hazardous, but are among the top five components in this product:

CHEMICAL NAME CAS NUMBER

PENNSYLVANIA RIGHT-TO-Know

The following non-hazardous ingredients are present in the product at greater than 3%:

CHEMICAL NAME CAS NUMBER

**CALIFORNIA PROPOSITION 65:** 

WARNING: The chemical(s) noted below and contained in this product, are know to the state of California to causes cancer, birth defects or other reproductive harm.

CHEMICAL NAME CAS NUMBER

No Propsition 65 chemicals exist in this product.

INTERNATIONAL REGULATIONS: AS FOLLOWS -

CANADIAN WHMIS: This MSDS has been prepared in compliance with Controlled Product Regulations except for use of the 16 headings.

CANADIAN WHMIS CLASS: No information available.

#### **SECTION 16 - OTHER INFORMATION**

PPE ΝE HMIS RATINGS: Health 3 Flammability 1 Phys. Haz. 0 **NFPA** Health Flammability Reactivity PPE NE 3 1 0

VOLATILE ORGANIC COMPOUNDS (VOCs): 0 grams / liter

LEGEND: NA Not Applicable NE Not Established

ND Not Determined

Disclaimer: The information contained herein is base on data available. However, no warranty is expressed or implied regarding the accuracy of the data or the results obtained from the use thereof. Because the information contained herein may be applied under conditions beyond our control, we assume no responsibility for its use.

Page 4 of 4 Printed 12/11/2012